

TIMBAFIL HARDENER

Page: 1

Compilation date: 12/03/2010

Revision date: 12/11/2013

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: TIMBAFIL HARDENER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Hardener Component for Wood Repair

1.3. Details of the supplier of the safety data sheet

Company name:	Chemfix Products Limited
	Mill Street East
	Dewsbury
	West Yorkshire
	WF12 9BQ
	United Kingdom
Tel:	+44 (0)1924 453886
Fax:	+44 (0)1924 458995
Email:	sds@chemfix.co.uk

1.4. Emergency telephone number

Section 2: Hazards identification

2.1. Classification of the substance or mixture Classification under CLP: Eye Irrit. 2: H319; Aquatic Acute 1: H400; Org. Perox. EF: H242; Skin Sens. 1: H317 Most important adverse effects: Heating may cause a fire. May cause an allergic skin reaction. Causes serious eye irritation. Very toxic to aquatic life.

2.2. Label elements

Label elements:	
Hazard statements:	H242: Heating may cause a fire.
	H317: May cause an allergic skin reaction.
	H319: Causes serious eye irritation.
	H400: Very toxic to aquatic life.
Signal words:	Warning
Hazard pictograms:	GHS02: Flame
	GHS07: Exclamation mark
	GHS09: Environmental



TIMBAFIL HARDENER

Precautionary statements:	P264: Wash skin thoroughly after handling.
	P273: Avoid release to the environment.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P302+352: IF ON SKIN: Wash with plenty of water/.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P370+378: In case of fire: Use suitable media to extinguish.

2.3. Other hazards

Other hazards: Not applicable.

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

DIBENZOYL PEROXIDE BPO - REACH registered number(s): 01-2119511472-50-XXXX

EINECS	CAS	PBT / WEL	CLP Classification	Percent
202-327-6	-	-	Aquatic Acute 1: H400; Eye Irrit. 2: H319; Org. Perox. B: H241; Skin Sens. 1: H317	40-50%

Section 4: First aid measures	
4.1. Description of first aid me	asures
•	
Skin contact:	Wash immediately with plenty of soap and water. Consult a doctor.
Eye contact:	Bathe the eye with running water for 15 minutes. Consult a doctor.
Ingestion:	Do not induce vomiting. Wash out mouth with water. Consult a doctor.
Inhalation:	Move to fresh air in case of accidental inhalation of vapours. Consult a doctor.
4.2. Most important symptoms	and effects, both acute and delayed
Skin contact:	There may be irritation and redness at the site of contact.
	-
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects:	Not applicable.
4.3. Indication of any immedia	te medical attention and special treatment needed
Immediate / special treatment:	Show this safety data sheet to the doctor in attendance.
Section 5: Fire-fighting measu	ires
5.1. Extinguishing media	
Extinguishing media:	Suitable extinguishing media for the surrounding fire should be used. Carbon dioxide.

Water spray. Dry chemical powder. Alcohol resistant foam.

Page: 2

TIMBAFIL HARDENER

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent

contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Refer to section 8 of SDS for personal protection details. If outside keep

bystanders upwind and away from danger point.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Pick up mechanically. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 13 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Store away from heat. Keep away from direct sunlight.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): Building and construction work (SU19).

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

DIBENZOYL PEROXIDE BPO

TIMBAFIL HARDENER

Page: 4

Workplace exp	oosure limits:			Respirable dust	
State	8 hour TV	VA	15 min. STEL	8 hour TWA	15 min. STEL
UK		5 mg/m3	-	-	-
DNEL/PNEC Val	ues				
I	ONEL / PNEC	No data av	ailable.		
8.2. Exposure co	ontrols				
Engineerin	g measures:	Ensure the	re is sufficient ventilation	of the area.	
Respirator	y protection:	Self contair	ned breathing apparatus r	must be available in case of	emergency.
Han	d protection:	Protective §	gloves.		
Ey	e protection:	Safety glas	ses. Ensure eye bath is to	o hand.	
Ski	n protection:	Protective of	clothing.		
En	vironmental:	Ensure all e	engineering measures me	entioned in section 7 of SDS	are in place.
ection 9: Physic	al and chemi	cal propert	ies		
9.1. Information	on basic phys	ical and che	mical properties		
	State:	Paste			
	Colour:	White			
	Odour:	Characteris	tic odour		
	Oxidising:	Oxidising (oy EC criteria)		
Solub	ility in water:	Insoluble			
Rela	ative density:	1.1			
9.2. Other inform	nation				
Other	information:	SADT = 50	C. The SADT (self accele	erating decomposition tempe	erature) is an
		experimenta	Ily determined temperatu	re at which the product, in its	s conventional
		packaging w	ill decompose in a selfac	celerating reaction.	
ection 10: Stabi	lity and react	ivity			
10.1. Reactivity					
	Reactivity:	Stable und	er recommended transpo	rt or storage conditions.	
10.2. Chemical s	stability				
Chem	ical stability:	Stable und	er normal conditions.		
10.3. Possibility	of hazardous	reactions			
Hazardo	us reactions:	Hazardous	reactions will not occur u	nder normal transport or sto	rage
		conditions. S	Substance/product is oxid	izing when dry.	
10.4. Conditions	to avoid				
Conditi	ons to avoid:	Heat. Direc	t sunlight		
Conulti		neat. Direc	a sunnyna.		

TIMBAFIL HARDENER

10.5. Incompatible materials

Materials to avoid: Amines. Acids. Alkali. Heavy metal compounds.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

DIBENZOYL PEROXIDE BPO

ORL	RAT	LD50	5000	mg/kg
VAPOURS	RAT	LD50	24.3	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact:	There may be irritation and redness at the site of contact.
Eye contact:	There may be irritation and redness. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat.
Inhalation:	There may be irritation of the throat with a feeling of tightness in the chest.
Delayed / immediate effects:	Not applicable.
Other information:	Not applicable.

Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

DIBENZOYL PEROXIDE BPO

ALGAE	72H ErC50	0.0711	mg/l
Daphnia magna	48H EC50	0.110	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	0.0602	mg/l

12.2. Persistence and degradability

Persistence and degradability: Not biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

TIMBAFIL HARDENER

12.4. Mobility in soil

Mobility: Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations:	Transfer to a suitable container and arrange for collection by specialised
	disposal company.
Waste code number:	03 03 99
Disposal of packaging:	Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.
NB:	The user's attention is drawn to the possible existence of regional or
	national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3108

14.2. UN proper shipping name

Shipping name: ORGANIC PEROXIDE, TYPE E, SOLID (DIBENZOYL PEROXIDE)

14.3. Transport hazard class(es)

Transport class: 5.2

14.4. Packing group

14.5. Environmental hazards

Environmentally hazardous: Yes

14.6. Special precautions for user

Special precautions: No special precautions.

- Tunnel code: D
- Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

Marine pollutant:

No

TIMBAFIL HARDENER

15.2. Chemical Safety Assessment Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier. Section 16: Other information Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H241: Heating may cause a fire or explosion. H242: Heating may cause a fire. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H400: Very toxic to aquatic life. H400: Very toxic to aquatic life. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing please mix any waste product to its cured state.			Page:	7
Section 16: Other information Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H241: Heating may cause a fire or explosion. H242: Heating may cause a fire. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H400: Very toxic to aquatic life. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing	15.2. Chemical Safety Assess	ment		
Section 16: Other information Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. * indicates text in the SDS which has changed since the last revision. * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H241: Heating may cause a fire or explosion. H242: Heating may cause a fire. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H400: Very toxic to aquatic life. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing	Chemical safety assessment:	A chemical safety assessment has not been carried out for the substance or the		
Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H241: Heating may cause a fire or explosion. H242: Heating may cause a fire. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H400: Very toxic to aquatic life. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing		mixture by the supplier.		
Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H241: Heating may cause a fire or explosion. H242: Heating may cause a fire. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H400: Very toxic to aquatic life. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing	Section 16: Other information			
2015/830. * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H241: Heating may cause a fire or explosion. H242: Heating may cause a fire. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H400: Very toxic to aquatic life. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing	Other information			
 * indicates text in the SDS which has changed since the last revision. * indicates text in the SDS which has changed since the last revision. * H241: Heating may cause a fire or explosion. H242: Heating may cause a fire. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H400: Very toxic to aquatic life. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing 	Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No		
Phrases used in s.2 and s.3:H241: Heating may cause a fire or explosion. H242: Heating may cause a fire. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H400: Very toxic to aquatic life.Legal disclaimer:The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing		2015/830.		
explosion. H242: Heating may cause a fire. H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H400: Very toxic to aquatic life. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing		* indicates text in the SDS which has changed since the last revision.		
H317: May cause an allergic skin reaction. H319: Causes serious eye irritation. H400: Very toxic to aquatic life. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing	Phrases used in s.2 and s.3:	H241: Heating may cause a fire or		
H319: Causes serious eye irritation. H400: Very toxic to aquatic life. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing		explosion. H242: Heating may cause a fire.		
H400: Very toxic to aquatic life. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing		H317: May cause an allergic skin reaction.		
Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing		H319: Causes serious eye irritation.		
inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing		H400: Very toxic to aquatic life.		
any damage resulting from handling or from contact with the above product. ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing	Legal disclaimer:	The above information is believed to be correct but does not purport to be all		
ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing		inclusive and shall be used only as a guide. This company shall not be held liable for		
		any damage resulting from handling or from contact with the above product.		
please mix any waste product to its cured state.		ENVIRONMENTAL CARE: Please do not dispose of uncured material. If disposing		
		please mix any waste product to its cured state.		