

TIMCO SDS Ref No. SDS-04-PAI-05 / v1

Low Odour Turps Substitute - Safety Data Sheet

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 1: Identification of	of the substance/mixture and of	the company/undertaking	
I.1. Product identifier			
Product form:	Substance		
Product Name:	Low Odour Turps Substitute		
Product Code:	720167 / 720983		
I.2. Relevant identified uses o	f the substance or mixture and us	es advised against	
.2.1. Relevant identified uses			
ntended for general public Main use category Jse of the substance/mixture Jse of the substance/mixture function or use category	: Industrial use,Professi : For thining oil colours : Solvents : Solvents	-	
.2.2. Uses advised against			
Restrictions on use	: Any other use not ide	ntified.	
I.3. Details of the supplier of t	he safety data sheet		
Supplier:	T.I Midwood & Co. Ltd TIMCO House Green Lane Wardle Nantwich CW5 6BJ	T.I Midwood & Co. Ltd Aviemore House Hill Street Monahan Ireland	
Emergency Help Line: 01865 4	07333 (24 hour service)		
SECTION 2: Hazards identi	fication		
2.1. Classification of the subs	tance or mixture		
Classification according to Regula	ation (EC) No. 1272/2008 [CLP]		
lammable liquids, Category 3	H226		
	le exposure, Category 3, Narcosis H336		
spiration hazard, Category 1 full text of H statements : see sectio	H304 n 16		
Adverse physicochemical, human	health and environmental effects		

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

	GHS02 GHS07 GHS08
Signal word (CLP)	: Danger
Hazard statements (CLP)	: H226 - Flammable liquid and vapour.
	H304 - May be fatal if swallowed and enters airways.
	H336 - May cause drowsiness or dizziness.
Precautionary statements (CLP)	P102 - Keep out of reach of children.
	P261 - Avoid breathing vapours, spray.
	P271 - Use only outdoors or in a well-ventilated area.
	P301+P310+P331 - IF SWALLOWED: Immediately call a POISON CENTER, a doctor. Do
	NOT induce vomiting.
	P405 - Store locked up.
	P501 - Dispose of contents and container to a hazardous or special waste collection point.
EUH-statements	: EUH066 - Repeated exposure may cause skin dryness or cracking.
Child-resistant fastening	: Applicable
Tactile warning	Applicable

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients	
3.1. Substances	
	: UVCB : Low Odour White Spirit
Name	Product identifier
Low Odour White Spirit	
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	(EC-No.) 919-857-5 (REACH-no) 01-2119463258-33
Full text of H-statements: see section 16	

3.2. Mixtures

Not applicable

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation	 Call a physician immediately. Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
First-aid measures after skin contact First-aid measures after eye contact	 Rinse skin with water/shower. Take off immediately all contaminated clothing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting. Call a physician immediately.
4.2. Most important symptoms and effects	s, both acute and delayed
Symptoms/effects Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion	 May cause drowsiness or dizziness. Repeated exposure may cause skin dryness or cracking. May cause eye irritation. Risk of lung oedema.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.
5.2. Special hazards arising from the subs	tance or mixture
Fire hazard Hazardous decomposition products in case of fire	Flammable liquid and vapour.Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency personnel		
Protective equipment	: Wear recommended personal protective equipment.	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid breathing vapours, spray.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
Emergency procedures	Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous.	
6.2 Environmental precautions		

Avoid release to the environment.

6.3. Methods and material for containme	ent and cleaning up
Methods for cleaning up	: Take up liquid spill into absorbent material. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

For further information refer to section 13.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Additional hazards when processed Precautions for safe handling Hygiene measures	 Handle empty containers with care because residual vapours are flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapours may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Use only outdoors or in a well-ventilated area. Avoid breathing vapours, spray. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includ	ling any incompatibilities
Technical measures Storage conditions	 Ground/bond container and receiving equipment. Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Hand protection:					
Protective gloves					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Reusable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	>0.55		EN 374-2, EN 374-3
Reusable gloves	Polyvinylalcohol (PVA)	6 (> 480 minutes)			EN 374-2, EN 374-3
Reusable gloves	Viton® II	6 (> 480 minutes)			EN 374-2, EN 374-3

Eye protection:

Safety glasses. Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

Other information:

Melting point

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and	chemical properties	
Physical state	: Liquid	
Colour	Colourless.	
Odour	: Hydrocarbons.	
Odour threshold	No data available	
pH	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	

: < -50 °C Atm. press.: 1 atm Decomposition: 'no' Sublimation: 'no'

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Freezing point	: No data available
Boiling point	: 155 – 192 °C Atm. press.: 1 atm Decomposition: 'no'
Flash point	: 39 °C Atm. press.: 1 atm
Auto-ignition temperature	: > 230 °C
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: 4 hPa
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Density	: 0.776 g/cm³ Type: 'density' Temp.: 15 °C
Solubility	: soluble in most organic solvents.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: 1.33 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: 0.6 – 8 vol %

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid and vapour.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

Oxidizing agent.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological ir	nformation
11.1. Information on toxicologica	al effects
Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Hydrocarbons, C9-C11, n-alkano	es, isoalkanes, cyclics, < 2% aromatics
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	≥ 3160 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)

Skin corrosion/irritation Serious eye damage/irritation

- : Not classified
- : Not classified

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Respiratory or skin sensitisation: Not classifiedGerm cell mutagenicity: Not classifiedCarcinogenicity: Not classified		
Reproductive toxicity	: Not classified	
STOT-single exposure	: May cause drowsiness or dizziness.	
STOT-repeated exposure	: Not classified	
Aspiration hazard : May be fatal if swallowed and enters airways.		
Low Odour White Spirit		
Viscosity, kinematic 1.33 mm²/s Temp.: '20°C' Parameter: 'kinematic viscosity (in mm²/s)'		
Human evidence for classification	Yes	
Hydrocarbon	Yes	

SECTION 12: Ecological information		
12.1. Toxicity		
Ecology - general Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (chronic) Not rapidly degradable	 The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Not classified Not classified 	
12.2. Persistence and degradability		
No additional information available		
12.3. Bioaccumulative potential		
No additional information available		
12.4. Mobility in soil		
No additional information available		
12.5. Results of PBT and vPvB assessment	t in the second s	
No additional information available		
12.6. Other adverse effects		
No additional information available		

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Waste treatment methods Additional information	 Dispose of contents/container in accordance with licensed collector's sorting instructions. Flammable vapours may accumulate in the container.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

0, N.O.S. (H ns, C9-C11, n- soalkanes, soalkanes, (H % aromatics) (H 3295 (H CARBONS, (H N.O.S. (H ns, C9-C11, n- (H	UN 3295 lydrocarbons, liquid, n.o.s. Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics) UN 3295 Hydrocarbons, liquid, n.o.s. Hydrocarbons, C9-C11, n- alkanes, isoalkanes, yclics, < 2% aromatics), 3, III	UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics) UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics), 3, III	UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics) UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics), 3 III
CARBONS, Hy o, N.O.S. (Hy soalkanes, % aromatics) 3295 (CARBONS, 0, N.O.S. (Hy soalkanes, cy aromatics), 3,	lydrocarbons, liquid, n.o.s. Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics) UN 3295 Hydrocarbons, liquid, n.o.s. Hydrocarbons, C9-C11, n- alkanes, isoalkanes, yclics, < 2% aromatics), 3,	HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics) UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics), 3,	HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics) UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics), 3
0, N.O.S. (H ns, C9-C11, n- soalkanes, soalkanes, (H % aromatics) (H 3295 (L CARBONS, (H ns, C9-C11, n- (H soalkanes, (C soalkanes, (H soalkanes, (C aromatics), 3, (H	Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics) UN 3295 Hydrocarbons, liquid, n.o.s. Hydrocarbons, C9-C11, n- alkanes, isoalkanes, yclics, < 2% aromatics), 3,	LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics) UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics), 3,	LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics) UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics), 3
0, N.O.S. (H ns, C9-C11, n- soalkanes, soalkanes, (H % aromatics) (H 3295 (L CARBONS, (H ns, C9-C11, n- (H soalkanes, (C soalkanes, (H soalkanes, (C aromatics), 3, (H	Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics) UN 3295 Hydrocarbons, liquid, n.o.s. Hydrocarbons, C9-C11, n- alkanes, isoalkanes, yclics, < 2% aromatics), 3,	LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics) UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics), 3,	LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics) UN 3295 HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics), 3
ARBONS, 0, N.O.S. (H ns, C9-C11, n- soalkanes, cy aromatics), 3,	liquid, n.o.s. Hydrocarbons, C9-C11, n- alkanes, isoalkanes, yclics, < 2% aromatics), 3,	HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics), 3,	HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n alkanes, isoalkanes, cyclics, < 2% aromatics), 3
ARBONS, 0, N.O.S. (H ns, C9-C11, n- soalkanes, cy aromatics), 3,	liquid, n.o.s. Hydrocarbons, C9-C11, n- alkanes, isoalkanes, yclics, < 2% aromatics), 3,	HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics), 3,	HYDROCARBONS, LIQUID, N.O.S. (Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, < 2% aromatics), 3
3	3	3	3
111	III	III	Ш
nus for the ment : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
)	us for the	us for the Dangerous for the nent : No environment : No	us for the Dangerous for the Dangerous for the nent : No environment : No environment : No

14.6. Special precautions for user

Overland transport		
Classification code (ADR)	:	F1
Limited quantities (ADR)	:	51
Excepted quantities (ADR)	:	E1
Packing instructions (ADR)	:	P001, IBC03, LP01, R001
Mixed packing provisions (ADR)	:	MP19
Portable tank and bulk container instructions (ADR)	:	Τ4
Portable tank and bulk container special provisions	:	TP1, TP29
(ADR)		
Tank code (ADR)	:	LGBF
Vehicle for tank carriage	:	FL
Transport category (ADR)	:	3
Special provisions for carriage - Packages (ADR)	:	V12
Special provisions for carriage - Operation (ADR)	:	S2
Hazard identification number (Kemler No.)	:	30
Orange plates	:	30 3295
Tunnel restriction code (ADR)		D/E
EAC code		3YE

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Transport	by sea
-----------	--------

Transport by sea	
Special provisions (IMDG)	: 223
Limited quantities (IMDG)	: 5L
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P001, LP01
IBC packing instructions (IMDG)	: IBC03
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP29
EmS-No. (Fire)	F-E
EmS-No. (Spillage)	: S-D
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Immiscible with water.
Air transport	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y344
PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provisions (IATA)	: A3, A224
ERG code (IATA)	: 3L
Inland waterway transport	
Classification code (ADN)	: F1
Limited quantities (ADN)	: 5 L
Excepted quantities (ADN)	: E1
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01
Number of blue cones/lights (ADN)	: 0
Rail transport	
Classification code (RID)	: F1
Limited quantities (RID)	: 5L
Excepted quantities (RID)	: E1
Packing instructions (RID)	: P001, IBC03, LP01, R001
Mixed packing provisions (RID)	: MP19
Portable tank and bulk container instructions (RID)	: T4
Portable tank and bulk container special provisions	: TP1, TP29
(RID)	. 161,1629
Tank codes for RID tanks (RID)	: LGBF
Transport category (RID)	: 3
Special provisions for carriage – Packages (RID)	: W12
Colis express (express parcels) (RID)	: CE4
Hazard identification number (RID)	: 30

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

Reference code	Applicable on	Entry title or description
3(a)	Low Odour White Spirit ; Hydrocarbons, C9- C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3(b)	Low Odour White Spirit ; Hydrocarbons, C9- C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10
40.	Low Odour White Spirit ; Hydrocarbons, C9- C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

Low Odour White Spirit is not on the REACH Candidate List Low Odour White Spirit is not on the REACH Annex XIV List

Organic solvent

Low Odour White Spirit is not subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 july 2012 concerning the export and import of hazardous chemicals.

Low Odour White Spirit is not subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Full text of H- and EUH-statements:		
Asp. Tox. 1	Aspiration hazard, Category 1	
Flam. Liq. 3	Flammable liquids, Category 3	
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H336	May cause drowsiness or dizziness.	
EUH066	Repeated exposure may cause skin dryness or cracking.	

The classification complies with : ATP 12

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.