

Maintenance Sprays & Lubricants



Multi-Purpose Lubricant



Developed to penetrate, loosen, maintain, protect and clean metal surfaces. Specially formulated to rapidly penetrate into hard to reach areas

Ideal for: Drying electrical systems, stopping hinges and latches from squeaking, maintaining locking mechanisms, reducing tool wear and tear, priming ignition systems, loosening seized nuts and bolts and much more.

- Corrosion resistance
- Premium quality oil suspended in a low viscosity dispersing fluid
- Excellent moisture repelling properties
- Maintains lasting performance of a variety of metal components
- Heat resistant from -50°C to +200°C

Product Code	Size	Pack Qty	Carton Qty (pcs)	Pallets Qty (packs)
CAN				
237789	480ml	12	12	912
TYPE - AER		SUB TYPE - AER01		

Silicone Lubricant



Formulated for applications where there are plastic or rubberised components, due to the absence of any chemicals which cause hardening and splitting.

Ideal for: window seals and slides, runners, bearings, o-rings, textile equipment and more.



- Low odour
- No heavy hydrocarbons that can cause cracking, squeaking, splitting and hardening
- Heat resistant from -50°C to +200°C
- Protects
- Long lasting

Product Code	Size	Pack Qty	Carton Qty (pcs)	Pallets Qty (packs)
CAN				
237357	380ml	12	12	1140
TYPE - AER		SUB TYPE - AER01		

Copper Anti-Seize



A premium pure copper lubricant with a graphite additive, suspended in a high quality grease.

It maintains and protects Steel, Stainless Steel, Cast Iron, Copper & Brass components from high temperatures, corrosion and seizure.

Ideal for all automotive, industrial and construction uses including: threaded fasteners, brake pads and callipers, manifolds and exhausts, boiler parts, flanges and pipes.

- Protects
- Copper formulation resists high temperatures
- Heat resistant up to 1100°C
- Water resistant
- The graphite additive allows for easy assembly and dismantling of a wide range of metal applications

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
CAN				
237456	380ml	12	12	1140
TYPE - AER		SUB TYPE - AER01		

White Lithium Grease



An opaque viscous lubricant with a non-thinning heat resistant formulation to ensure long term performance.

Ideal for industrial, marine and automotive applications where water ingress can be detrimental to lubrication.



- Highly visible
- Resists corrosion
- Heat resistant from -20°C to +140°C
- Extremely effective in areas requiring water resistance

Product Code	Size	Pack Qty	Carton Qty (pcs)	Pallets Qty (packs)
CAN				
237482	380ml	1	12	1140
TYPE - AER		SUB TYPE - AER01		

Chain Lubricant



Designed to penetrate, maintain, protect and clean chain, wire rope and moving metal parts.

The high viscosity formula gives excellent lubricant retention, preventing "fing off" and unnecessary wear and maintenance.

Ideal for: chain, gears, wire rope, pulleys, rollers, bearings and more.

- The Molybdenum disulphide additive gives exceptional long lasting friction reduction
- Prolongs the performance and lifespan of moving metal parts and surfaces
- Prevents corrosion and reduces dirt and grime build up, even in wet and humid environments

Product Code	Size	Pack Qty	Carton Qty (pcs)	Pallets Qty (packs)
CAN				
237123	380ml	1	12	1140
TYPE - AER		SUB TYPE - AER01		

Cutting & Tapping Lubricant



Formulated to significantly reduce friction and wear, increase cutting speeds, protect and extend tool life, and ensure a consistent high quality surface finish.

Ideal for: all machine shops, tool-rooms and maintenance departments.

- Contains extreme pressure additives
- Prevents pitting, galling and metal seizure
- Improves tooling accuracy
- Suitable for use on hard to work metals including stainless steel, titanium, aluminium and tool steel
- Complete with an easy-to-use 360° spray nozzle, for precise application in hard to reach and confined spaces.

Product Code	Size	Packs Qty (pcs)	Carton Qty (packs)	Pallets Qty (packs)
CAN				
237159	380ml	1	12	1140
TYPE - AER		SUB TYPE - AER01		