


TECHNICAL INFORMATION FOR

MASONRY NAILS



TECHNICAL DATA SHEET



TIMco HARDENED MASONRY NAILS - FLAT HEAD



APPLICATION

For quick and easy fastening to mortar joints or light duty masonry

HEAD TYPE

50deg Countersunk head for flush fit

POINT

35deg sharp point for easy penetration

MATERIAL

Hardened Carbon Steel for extra strength

FINISHES

Bright Zinc Plated for internal use

PRODUCT RANGE

Product Code	Class	Diameter	Length	Head Diameter
ZINC				
HM25025	Light	2.5	25	4.6
HM25025P	Light	2.5	25	4.6
HM25030	Light	2.5	30	4.6
HM25030P	Light	2.5	30	4.6
HM25035	Light	2.5	35	4.6
HM25035P	Light	2.5	35	4.6
HM25040	Light	2.5	40	4.6
HM25040P	Light	2.5	40	4.6
HM25050	Light	2.5	50	4.6
HM25050P	Light	2.5	50	4.6
HM30040	Medium	3.0	40	5.4
HM30050	Medium	3.0	50	5.4
HM30060	Medium	3.0	60	5.4
HM30060P	Medium	3.0	60	5.4
HM30065	Medium	3.0	65	5.4
HM30065P	Medium	3.0	65	5.4

TIMco HARDENED MASONRY NAILS - ROUND HEAD



APPLICATION

For quick and easy fastening to mortar joints or light duty masonry

HEAD TYPE

Round head with countersunk for increased strength

POINT

35deg sharp point for easy penetration

MATERIAL

Hardened Carbon Steel for extra strength

FINISHES

Bright Zinc Plated for internal use

PRODUCT RANGE

Product Code	Class	Diameter	Length	Head Diameter
ZINC				
HM35065	Heavy	3.5	65	6.8
HM35075	Heavy	3.5	75	6.8
HM35075P	Heavy	3.5	75	6.8
HM35085	Heavy	3.5	85	6.8
HM350100	Heavy	3.5	100	6.8



TIMco HARDENED MASONRY NAILS - WASHERED



APPLICATION

For quick and easy fastening to mortar joints or light duty masonry

HEAD TYPE

Washer head for increased clamping

POINT

35deg sharp point for easy penetration

MATERIAL

Hardened Carbon Steel for extra strength

FINISHES

Bright Zinc Plated for internal use

PRODUCT RANGE

Product Code	Class	Diameter	Length	Washer Diameter
ZINC				
WMN25	Heavy	3.75	25	12
WMN30	Heavy	3.75	30	12
WMN35	Heavy	3.75	35	12
WMN40	Heavy	3.75	40	12
WMN50	Heavy	3.75	50	12
WMN60	Heavy	3.75	60	12
WMN75	Heavy	3.75	75	12

TIMco HARDENED MASONRY NAILS - FIXED WASHER



APPLICATION

For quick and easy fastening of thin sheet materials to mortar joints or light duty masonry

HEAD TYPE

Fixed washer head for increased clamping

POINT

35deg sharp point for easy penetration

MATERIAL

Hardened Carbon Steel for extra strength

FINISHES

Bright Zinc Plated for internal use

PRODUCT RANGE

Product Code	Class	Diameter	Length	Washer/Head Height	Washer Diameter
ZINC					
FWMN30	Heavy	3.5	30	2.3	15mm
FWMN40	Heavy	3.5	40	2.3	15mm
FWMN50	Heavy	3.5	50	2.3	15mm



TIMco MICKEY PINS / CAPPING NAILS



APPLICATION

For quick and easy fastening of thin sheet materials to mortar joints or light duty masonry

HEAD TYPE

Washer head for increased clamping

POINT

35deg sharp point for easy penetration

MATERIAL

Hardened Carbon Steel for extra strength

FINISHES

Bright Zinc Plated for internal use

PRODUCT RANGE

Product Code	Class	Diameter	Length	Washer Diameter
ZINC				
WMP25	Light	2.5	25	8.5
WMP30	Light	2.5	30	8.5