

Self-Drilling Screw - For Light Section Steel

Bi-Metal (SO)	Exterior (SO)	Zinc
CORROSION RATING 1 2 3 4 5	CORROSION RATING 1 2 3 4 5	CORROSION RATING 1 2 3 4 5

Urban & industrial areas with a moderate salt atmosphere Urban & industrial areas with a low salt atmosphere Clean, dry & low humidity environments

Used for attaching metal to light section steel (Max. 5mm) without the need to pre-drill a hole.
HEX



Product Code	Size (mm)	Socket Size (mm)	Fixed Washer Ø (mm)	EPDM Washer Thickness (mm)	Max. Drill Thickness (mm)	Effective Thread Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
Bi-Metal (Silver Organic)									
BOX									
BML25	5.5 x 25	8.0	11.0	-	5.0	12	100	50	1200
BML25W16	5.5 x 25	8.0	11.0	16.0	5.0	9	100	35	840
BML32	5.5 x 32	8.0	11.0	-	5.0	19	100	50	1200
BML38	5.5 x 38	8.0	11.0	-	5.0	25	100	35	840
BML38W16	5.5 x 38	8.0	11.0	16.0	5.0	22	100	15	540
BML50	5.5 x 50	8.0	11.0	-	5.0	37	100	15	540
BML50W16	5.5 x 50	8.0	11.0	16.0	5.0	34	100	15	540
BML70	5.5 x 70	8.0	11.0	-	5.0	57	100	15	540
BML100	5.5 x 100	8.0	11.0	-	5.0	87	100	16	384
BML100W16	5.5 x 100	8.0	11.0	16.0	5.0	84	100	9	216
TYPE - BMR SUB TYPE - BMR01									

Product Code	Size (mm)	Socket Size (mm)	Fixed Washer Ø (mm)	EPDM Washer Thickness (mm)	Max. Drill Thickness (mm)	Effective Thread Length (mm)	Pack Qty (pcs)	Carton Qty (packs)	Pallet Qty (packs)
--------------	-----------	------------------	---------------------	----------------------------	---------------------------	------------------------------	----------------	--------------------	--------------------

Exterior (Silver Organic)									
BOX									
L19B	5.5 x 19	8.0	12.0	-	5.0	7	100	50	1200
L19W16B	5.5 x 19	8.0	12.0	16.0	5.0	4	100	35	840
L25B*	5.5 x 25	8.0	12.0	-	5.0	13	100	50	1200
L25W16B*	5.5 x 25	8.0	12.0	16.0	5.0	10	100	35	840
L32B*	5.5 x 32	8.0	12.0	-	5.0	20	100	50	1056
L32W16B*	5.5 x 32	8.0	12.0	16.0	5.0	17	100	15	540
L38B*	5.5 x 38	8.0	12.0	-	5.0	26	100	35	840
L38W16B*	5.5 x 38	8.0	12.0	16.0	5.0	23	100	15	540
L50B*	5.5 x 50	8.0	12.0	-	5.0	38	100	15	540
L50W16B*	5.5 x 50	8.0	12.0	16.0	5.0	35	100	15	540
L70B*	5.5 x 70	8.0	12.0	-	5.0	58	100	15	540
L70W16B*	5.5 x 70	8.0	12.0	16.0	5.0	55	100	16	384
L100B*	5.5 x 100	8.0	12.0	-	5.0	88	100	12	384
L100W16B*	5.5 x 100	8.0	12.0	16.0	5.0	85	100	9	216
TYPE - RF SUB TYPE - RF01									

TIMBAG									
L25BB*	5.5 x 25	8.0	12.0	-	5.0	13	200	5	600
L25W16BB*	5.5 x 25	8.0	12.0	16.0	5.0	10	140	5	600
L32BB*	5.5 x 32	8.0	12.0	-	5.0	20	160	5	600
L32W16BB*	5.5 x 32	8.0	12.0	16.0	5.0	17	130	5	600
L38BB*	5.5 x 38	8.0	12.0	-	5.0	26	150	5	600
L38W16BB*	5.5 x 38	8.0	12.0	16.0	5.0	23	110	5	600
L50BB*	5.5 x 50	8.0	12.0	-	5.0	38	120	5	600
L50W16BB*	5.5 x 50	8.0	12.0	16.0	5.0	35	85	5	600
L70BB*	5.5 x 70	8.0	12.0	-	5.0	58	100	5	600
TYPE - BAG SUB TYPE - BAG11									

Zinc									
BOX									
00812HWSD	4.2 x 13	6.35	8.5	-	3.0	4	1,000	16	192
00834HWSD	4.2 x 19	6.35	8.5	-	3.0	10	1,000	16	192
01012HWSD	4.8 x 13	8.0	10.0	-	4.5	4	1,000	16	192
01058HWSD	4.8 x 16	8.0	10.0	-	4.5	7	1,000	12	144
01034HWSD	4.8 x 19	8.0	10.0	-	4.5	10	1,000	12	144
01234HWSD	5.5 x 19	8.0	11.0	-	5.0	8	500	16	192
00121HWSD	5.5 x 25	8.0	11.0	-	5.0	14	500	12	144
12114HWSD	5.5 x 32	8.0	11.0	-	5.0	21	500	12	144
12112HWSD	5.5 x 38	8.0	11.0	-	5.0	27	500	12	144
12134HWSD	5.5 x 45	8.0	11.0	-	5.0	34	500	8	96
TYPE - RF SUB TYPE - RF02									

BAG									
ZL19W16	5.5 x 19	8.0	11.0	16.0	5.0	4	100	32	1152
ZL25W16	5.5 x 25	8.0	11.0	16.0	5.0	10	100	30	1080
ZL32W16	5.5 x 32	8.0	11.0	16.0	5.0	17	100	26	936
ZL38W16	5.5 x 38	8.0	11.0	16.0	5.0	23	100	24	864
ZL50W16	5.5 x 50	8.0	11.0	16.0	5.0	35	100	20	720
ZL60W16	5.5 x 60	8.0	11.0	16.0	5.0	45	100	16	576
ZL70W16	5.5 x 70	8.0	11.0	16.0	5.0	55	100	14	504
TYPE - RF SUB TYPE - RF02									